

Receiving Report

Date: 12/10/15
 Supplier: MANNON

Batch No: m123303
 Dart P/O: 18063

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection: 12/10/15 N/A ☒
 Work Order: 89 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
m304TR1-000-045		40	0	0	48	
m6061TR700-065		72	48	0	24	

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 12/10/15
 Date
 Received/Costing
 Initial

Location

Purchase Order Receipt Listing

Monday, October 15, 2012 7:59:43 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO18063 Receipt Dates from 10/15/2012 to 10/15/2012 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-MAR001 Marmora/Keystone Canada Ltd.											
PO18063	1		M304TR0.500W.035 f		10/17/2012	10/15/2012	200.0000	\$0.85	0.0000	0	\$170.87
CAD	No		304 RD Tube .500 x .035W	f	200.0000	DESJ02		\$170.87	0.0000	0	
			123303								
	3		M304TS0.750W.065 f	f	10/17/2012	10/15/2012	1,000.0000	\$2.24	0.0000	0	\$2,237.62
	No		304 SQ Tube .75x.75x.065W	f	1,000.0000	DESJ02		\$2,237.62	0.0000	0	
			123303								
	4		M6061T6T0.375W.0 f	f	10/17/2012	10/15/2012	408.0000	\$1.98	0.0000	0	\$809.20
	No		6061-T6 RD Tube .375 x.058W	f	400.0000	DESJ02		\$809.20	0.0000	0	
			123303								
	5		M6061T6T1.000W.06 f	f	10/17/2012	10/15/2012	96.0000	\$3.99	0.0000	0	\$382.76
	No		6061T6 RD TUBE 1.00 x .065W	f	96.0000	DESJ02		\$382.76	0.0000	0	
			123303								
	6		M6061T6T1.750W.0 f	f	10/17/2012	10/15/2012	48.0000	\$6.41	0.0000	0	\$307.57
	No		6061T6 RDTUBE 1.750 X 0.65W	f	72.0000	DESJ02		\$307.57	0.0000	0	
			123303								
Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:											1,752.0000 0.0000 0.0000 \$3,907.99 24.0000



Marmon/Keystone Canada Inc.

ACIERS SPÉCIALISÉS

290 Chemin du Tremblay
Boucherville QU CAN J4B 5X9
TEL. 514/527-9153
FAX. 450/641-4357

PACKING SLIP

PAGE... 1
Order : 17148
Date... 10/10/2012

SOLD TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIPPED TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIP VIA

TST OVERLAND #222212

F.O.B.

BOUCHERVILLE

SALESPERSON

C. Gee

YOUR ORDER NO.

PO18063

	Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered
01	24 /FT	ALUMINUM SMLS TUBE ATS 1.750 .065 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T1.750W.065 Total...		0/FT	24 FT
02	1000 /FT	STAINLESS STEEL TUBE A554 304 ORN. TUBE 3/4" X 3/4" X .065 A554 STO .750 .750 .065 304APC Tariff Number: 7306.40.00.10 Cust. part#: M304TS0.750W.065 HT#.....: C5X1 Total...	50 50	1000/FT 1000/FT	✓
03	408 /FT	ALUMINUM SMLS TUBE ATS .375 .058 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T0.375W.058 HT#.....: F0013715 Total...	34 34	408/FT 408/FT	✓
04	96 /FT	ALUMINUM SMLS TUBE ATS 1.000 .065 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T1.000W065 HT#.....: F00015667 Total...	8 8	96/FT 96/FT	✓
05	48 /FT	ALUMINUM SMLS TUBE ATS 1.750 .065 D6061 Tariff Number: 7608.20.00.00 Cust. part#: M6061T6T1.750W.065 HT#.....: F00007748 Total...	4 4	48/FT 48/FT	✓
06	200 /FT	STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 1/2 X .035 A213 STS .500 .035 304L Tariff Number: 7304.41.19.90 Cust. part#: M304TR0.500W.035 HT#.....: YT0674 Total...	10 10	200/FT 200/FT	✓

No. of Crate/Pieces

1 / 0

Total Weight.....:

710

Customers..



A Marmon Distribution Services/Berkshire Hathaway Company

**CERTIFICATE OF COMPLIANCE**

We hereby certify that the material listed below has been used to produce stainless steel tubing in accordance with specifications outlined in ASTM A554-03/EN 10204 3.1.

Type: 304
Size: 0.750"x 0.750"x 0.065"x 240.000"
Finish: As Welded
Your P.O. #: MX4057
Item Code: STO.750.750.065

HEAT NO.: C5X1**COIL NO.: 05C5X1 A****CHEMICAL ANALYSIS (%):**

C	Mn	P	S	Si	Cr	Mo	Ni
0.0570	1.7080	0.0390	0.0010	0.3840	18.1780	N/R	8.1820
Cu	Ti	Al	N	Co	Cb		
N/R	N/R	N/R	0.0620	N/R	N/R		

MECHANICAL PROPERTIES:

YIELD STRENGTH
P.S.I.
51440

TENSILE STRENGTH
P.S.I.
99030

ELONGATION
%
48.50


HARDNESS
87.5 HRB

DAS
14
9-89 12/10/15

Mercury has not been used as an alloying material nor is it present in our processing methods.

Date: 07/11/2012

Rob Kaminski
Metallurgical Lab Technician



KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Best in Class

CUSTOMER PO NUMBER: 61-17107-1		CUSTOMER PART NUMBER: AT/.375.058/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 606551	LINE ITEM: 001	SHIP DATE: 01/04/2012	KAISER LOT NUMBER: F00013715	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 629.000 LB	QUANTITY: 776.000 PCS	B/L NUMBER: 602261	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEystone CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEystone CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
* F00013715	0001	1	46.3	42.9	12.0	N/A	N/A	N/A
* F00013715	0002	1	46.2	42.9	12.3	N/A	N/A	N/A
* F00013715	0003	1	45.8	43.0	15.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D69881	.58	.26	.22	.06	.98	.07	.09	.02	.00	.00	.00	.01	.02
D69877	.57	.31	.25	.05	.96	.07	.06	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA
OD: 0.375"; Wall: 0.058"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.



Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA

DAS
14
9-89

Plant Serial: 00022757
Kaiser Order Number: 606551
Line Item: 001

ATS
.375
.058
D6061

KAISER ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager

Alex Yeh

Q. C. REVIEWED

KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: 61-18028-1		CUSTOMER PART NUMBER: AT/1..065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 623471	LINE ITEM: 001	SHIP DATE: 08/13/2012	KAISER LOT NUMBER: F00015667	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 655.000 LB	QUANTITY: 243.000 PCS	B/L NUMBER: 604145	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA			SOLD TO: MARMON/KEYSTONE CORP 1000 REMINGTON BLVD. SUITE 305 BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
F00015667	0001	1	42.6	39.3	17.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D70195	.64	.32	.23	.05	1.00	.08	.07	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA
OD: 1.000"; Wall: 0.065"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER,AZ) MELTED IN USA

DAS
14
9-89 12/10/15

Plant Serial: 00055337
Kaiser Order Number: 623471
Line Item: 001

ATS 1.000 .065 D6061 T6

KAISER

ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Calvin Latting, Quality & Technology Manager

Calvin Latting



KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
<http://Certs.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 60-9946-4		CUSTOMER PART NUMBER: AT/1.75.065/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 205199	LINE ITEM: 004	SHIP DATE: 04/17/2010	KAISER LOT NUMBER: F00007748	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 612.000 LB	QUANTITY: 126.000 PCS	B/L NUMBER: 204403	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA			SOLD TO: MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%TACS	BEND
F00007748	0001	1	47.7	44.3	17.0	N/A	N/A	N/A
F00007748	0002	1	47.9	44.9	18.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D68099	.59	.33	.22	.05	.99	.09	.06	.02	.00	.00	.00	.00	.02
D67819	.64	.36	.23	.05	1.00	.08	.07	.02	.00	.00	.00	.01	.02

DAS
14
12/16/15

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

Plant Serial: 00006809

Kaiser Order Number: 205199

Line Item: 004

Christopher J. Garcia
ATG 1.758 .065 D6061 T6

Page 1 of 2

OR. REF.
SLSPRS:

TO:

INIT.:

10/12/2010 FROM: MARMON/KEYSTONE CORPORATION

M/K OR: 6131483

C PART:

C.P.O.:

KAISER ALUMINUM FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

Best in Class

CERTIFIED TEST REPORT
<http://Certs.KaiserAluminum.com>

Applicable Requirements:

Description: MADE IN USA
OD: 1.750"; Wall: 0.065"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

QC REVIEWED

OCT 21 2010

ML

DAS
14
2-89 12/10/15

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Chris Garcia, Quality System Engineer

Christopher J. Garcia

Page 2 of 2

Plant Serial: 00006809

Kaiser Order Number: 205199

Line Item: 004

OR REF
SLSPRS

To:

INIT..

10/12/2010 From: MARMON/KEYSTONE CORPORATION

M/K OR 6131483

C.P.O.

C PART



SHANGHAI CRYSTAL PALACE PIPE CO., LTD

ZHONG GANG, NAN HUI, SHANGHAI CHINA ZIP CODE: 201302

CRYSTAL PALACE

MILL TEST CERTIFICATE

ISO9001:2000 PED Material Certificate (No.: QAC0021058/A)

DATE OF ISSUE: 2010/6/24

CUSTOMER: MARMON/KEYSTONE CANADA INC										CERTIFICATE NO.: 2010-3-5-B-5			
P.O. NO.: BN6680										ORDER NO.: 2010-03-005-B			
COMMODITY: STAINLESS STEEL SEAMLESS TUBING										GRADE: ASTM A213-07/ASME SA213-07 TP304/TP304L			
CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 320 GRIT										HEAT NO.: YT0674			
CHEMICAL CONTENTS (WT%)													
ELEMENTS		C	Mn	P	S	Si	Ni	Cr					
SPECIFICATION		≤ 0.035	≤ 2.00	≤ 0.040	≤ 0.030	≤ 0.75	8.0~12.0	18.0~20.0					
RESULTS (LADLE)		0.022	0.82	0.039	0.004	0.46	8.06	18.12					
PHYSICAL PROPERTIES													
Dimensions													
OD (inch)	W.T (inch)	Length (feet)	Bundle No.	Pieces	Weight (kg)	0.2%YS (Mpa)	TS (Mpa)	EL (%)	FLARING TEST	FLATTENING TEST	HARDNESS HRB	EDDY CURRENT TEST TO E426 (100%)	
0.500	0.035	20	P10-5-66	500	797	340	685	45.5	OK	OK	76	OK (DRILLED HOLE)	
REMARKS:													
AS PER ASTM A213/ASME SA213-07 WALL THICKNESS TOLERANCE AS PER ASTM A269-07 IN COMPLIANCE TO NACE MR0175-2003 IC TEST TO ASTM A262 PRACTICE E SOLUTION HEAT TREATMENT: 1050°C X 1.5m/min NO WELD REPAIR WAS PERFORMED FREE FROM MERCURY CONTAMINATION COUNTRY OF ORIGIN: CHINA MILL TEST CERTIFICATE TO EN 10204/3.1 INVOICE NO.: YK-10-06-62													
1. WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF THE PURCHASE ORDER OR CONTRACT 2. THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE COMPANY. SHANGHAI CRYSTAL PALACE PIPE CO., LTD MANAGER OF QUALITY ASSURANCE DEPARTMENT													
QC REVIEWED AUG 11 2010 MHL													

DA 14 12/10/15

DART

aerospace

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO18063**

Purchase Order Date 10/03/12

PO Print Date 10/03/12

Page Number 1 of 3

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

Contact Name

Vendor Phone 800 361 8142

Vendor Fax 450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

M123303

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
10/11/12

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304TR0.500W.035 017	304 RD Tube .500 x .035W	10/05/12 Yes	✓ 200.00 f	TST ground	\$0.8400	\$168.00
		Special Inst:	MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER A213 OR ASME SA213 OR ASTM A269				
2	M304TR1.000W.049	304 RD Tube 1.00 x .049W	10/05/12 Yes	40.00 f	TST ground	\$1.8700	\$74.80
		Special Inst:	MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER A213 OR ASME SA213 OR ASTM A269				
3	M304TS0.750W.065 018	304 SQ Tube .75x.75x.065W	10/05/12 Yes	✓ 1,000.00 f	TST ground	\$2.2000	\$2,200.00

10/11/15

**MATERIAL CERTIFICATION
REQ'D UPON DELIVERY**

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required - YES NO

Change Nbr: 1

Change Date: 10/03/12

Order From :

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

VC-MAR001

Contact Name

Vendor Phone 800 361 8142

Vendor Fax 450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Special Inst:

MATERIAL: AISI 304/316 SEAMLESS
STAINLESS
STEEL SQUARE TUBING AS PER ASTM
A554 MILL FINISH
OR ASTM A260 MILL FINISH

4 M6061T6T0.375W.058

6061-T6 RD Tube .375
x.058W

10/05/12

400.00 TST ground

\$1.9500

\$780.00

Yes

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62
TUBING PER
WW-T-700/6 OR AMS 4080 OR AMS 4082
OR
QQ-A-200/8 OR QQ-A-225/8

5 M6061T6T1.000W065

6061T6 RD TUBE 1.00 x
.065w

10/05/12

96.00 TST ground

\$3.9200

\$376.32

Yes

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62
TUBING PER
WW-T-700/6 OR AMS 4080 OR AMS 4082
OR
QQ-A-200/8 OR QQ-A-225/8

6 M6061T6T1.750W.065

6061T6 RDTUBE 1.750 X
0.65W

10/05/12

72.00 TST ground

\$6.3000

\$453.60

Yes

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Special Inst:

MATERIAL: 6061-T6 OR 6061-T62
TUBING PER
WW-T-700/6 OR AMS 4080 OR AMS 4082
OR
QQ-A-200/8 OR QQ-A-225/8

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required **YES** NO

Change Nbr: 1

Change Date: 10/03/12

DART
aerospace

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO18063

Purchase Order Date 10/03/12

PO Print Date 10/03/12

Page Number 3 of 3

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

PO Total:

\$4,052.72

**MATERIAL CERTIFICATION
REQ'D UPON DELIVERY**

Change Nbr: 1

Change Date: 10/03/12

No substitution or deviation without consent.

Certificate of Conformity or Material
Certification required ☒ YES ☐ NO